# SEQUENCE LISTING

<110> ENKAM Pharmaceutical A/S

<120> Method of modulation of interaction between receptor and ligand

<130> P 697 PC00

<160> 146

<170> PatentIn version 3.1

<210> 1

<211> 15

<212> PRT

<213> Artificial sequence

<220>

<223> NCAM Fn III, 2 [Swiss-Prot: P13591]: FGFR binding motif

<400> 1

Glu Val Tyr Val Val Ala Glu Asn Gln Gln Gly Lys Ser Lys Ala 1 5 10 15

<210> 2

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Interleukin-6 receptor beta chain [Swiss-Prot: Q00560]: FGFR bind ing motif

<212> PRT

<213> Artificial sequence

```
<400> 2
Asn Ile Glu Val Trp Val Glu Ala Glu Asn Ala Leu Gly Lys Lys Val
<210> 3
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Heparan sulfate proteoglycan perlecan [Swiss-Prot: P98160]: FGFR
   binding motif
<400> 3
Ala Thr Asn Arg Gln Gly Lys Val Lys Ala Phe Ala His Leu
         5
<210> 4
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Disintegrin and metalloprotease domain 8 (ADAM-8) [Swiss-Prot: Q0
    5910]: FGFR binding motif
<400> 4
Arg Tyr Val Glu Leu Tyr Val Val Ala Asp Ser Gln Glu Phe Gln Lys
         5
                     10
<210> 5
<211> 13
```

```
<220>
<223> Axonal-associated cell adhesion molecule [NCBI: NP_446331]: FGFR
   binding motif
<400> 5
Val Ala Glu Asn Ser Arg Gly Lys Asn Val Ala Lys Gly
<210> 6
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Myelin-associated glycoprotein (MAG) [Swiss-Prot: P20917]: FGFR b
    inding motif
<400> 6
Gly Glu Tyr Trp Cys Val Ala Glu Asn Gln Tyr Gly Gln Arg
<210> 7
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Neuronal nicotinic acetylcholine receptor alpha 3 subunit (CHRNA
    3) [Swiss-Prot: Q8VHH6/P04757:/Q8R4G9/P32297]: FGFR binding motif
<400> 7
Lys Tyr Ile Ala Glu Asn Met Lys Ala Gln Asn Val Ala Lys Glu Ile
         5
                    10
<210> 8
```

```
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> FIII,1 domain of NCAM (Swiss-Prot: P13591): FGFR binding motif
<400> 8
Thr Ile Met Gly Leu Lys Pro Glu Thr Arg Tyr Ala Val Arg
         5
<210> 9
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Granulocyte colony stimulating factor receptor precursor (G-CSF-
    R; CD114 antigen)[ Swiss-Prot: Q99062]: FGFR binding motif
<400> 9
Lys Gly Leu Gly Glu Ile Ser Ala Ala Thr Glu Phe Lys Thr
                     10
<210> 10
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> NCAM Fn III, 1 [Swiss-Prot: P13591]: FGFR binding motif
<400> 10
Asn Met Gly Ile Trp Val Gln Ala Glu Asn Ala Leu Gly
         5
                     10
```

<400> 13

```
<210> 11
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> FIII,1 domain of NCAM [Swiss-Prot: P13591]: FGFR binding motif
<400> 11
Arg Leu Ala Ala Leu Asn Gly Lys Gly Leu Gly Glu Ile Ser
<210> 12
<211> 10
<212> PRT
<213> Artificial sequence
<220>
<223> Granulocyte colony stimulating factor receptor precursor (G-CSF-
   R; CD114 antigen) [Swiss-Prot: P40223]: FGFR binding motif
<400> 12
Ile Trp Val Gln Ala Glu Asn Met Leu Gly
        5
<210> 13
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Cytokine-like factor-1 precursor (CLF-1) [Swiss-Prot: O75462]: FG
   FR binding motif
```

```
Glu Ile Trp Val Glu Ala Thr Asn Arg Leu Gly
```

1 5

<210> 14

<211> 10

<212> PRT

<213> Artificial sequence

<220>

<223> Interleukin-23 receptor (IL-23R) [Q8NFQ9]: FGFR binding motif

<400> 14

Val Trp Val Gln Ala Ala Asn Ala Leu Gly

1 5 10

<210> 15

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Complement factor 1 q , alpha polypeptide (C1QA) [Swiss-Prot: Q9D CM6]: FGFR binding motif

<400> 15

Glu Val Trp Ile Glu Lys Asp Pro Ala Lys Gly Arg Ile

1 5 10

<210> 16

<211> 14


<212> PRT

<213> Artificial sequence

<220>

<211> 16

<212> PRT



```
<223> Fasciclin II precursor (FAS2) [Swiss-Prot: P22648]: FGFR binding
    motif
<400> 16
Ala Thr Asn Lys Gly Gly Glu Val Lys Lys Asn Gly His Leu
<210> 17
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-19 precursor (EC 3.4.24.-) [Swiss-Prot: Q9H013/O35674]: FGFR
    binding motif
<400> 17
Lys Tyr Val Glu Leu Tyr Leu Val Ala Asp Tyr Leu Glu Phe Gln Lys
         5
                     10
<210> 18
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-8 precursor (EC 3.4.24.-) [Swiss-Prot: P78325]: FGFR binding
    motif
<400> 18
Arg Tyr Val Glu Leu Tyr Val Val Val Asp Asn Ala Glu Phe Gln
        5
                    10
<210> 19
```

<220>

<223> ADAM-12 precursor (EC 3.4.24.-)[Swiss-Prot: O43184; Q61824]: FGFR binding motif

<400> 19

Lys Tyr Val Glu Leu Val Ile Val Ala Asp Asn Arg Glu Phe Gln Arg

<210> 20

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Metalloproteinase-disintegrin domain containing protein TECADAM [ AF163291]: FGFR binding motif

<400> 20

Lys Tyr Ile Glu Tyr Tyr Val Val Leu Asp Asn Gly Glu Phe Lys Lys 1 5 10 15

<210> 21

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-33 precursor (EC 3.4.24.-)[Swiss-Prot: Q9BZ11/Q923W9]: FGFR binding motif

<400> 21

Arg Tyr Leu Glu Leu Tyr Ile Val Ala Asp His Thr Leu Phe 1 5 10

```
<210> 22
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-1A Fertilin alpha [Swiss-Prot: Q8R533]: FGFR binding motif
<400> 22
Lys Tyr Val Glu Met Phe Val Val Asn His Gln Arg Phe Gln
<210> 23
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-9 [Swiss-Prot: Q13433; Q61072]: FGFR binding motif
<400> 23
Arg Tyr Val Glu Leu Phe Ile Val Val Asp Lys Glu Arg Tyr
<210> 24
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-7 precursor [Swiss-Prot: Q9H2U9]: FGFR binding motif
<400> 24
```

Lys Tyr Val Glu Leu Phe Ile Val Ala Asp Asp Thr Val Tyr Arg Arg

<400> 27

```
<210> 25
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-7 precursor [Swiss-Prot: O35227; Q63180]: FGFR binding motif
<400> 25
Lys Phe Ile Glu Leu Phe Val Val Ala Asp Glu Tyr Val Tyr Arg Arg
<210> 26
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-15 precursor [Swiss-Prot: Q9QYV0; O88839]: FGFR binding moti
<400> 26
Lys Ile Val Glu Lys Val Ile Val Ala Asp Asn Ser Glu Val Arg Lys
       5
                   10
<210> 27
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-15 precursor [Swiss-Prot: Q13444]: FGFR binding motif
```

<212> PRT

<213> Artificial sequence

```
Val Glu Leu Val Ile Val Ala Asp His Ser Glu Ala Gln Lys
<210> 28
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion protein BIG-2 precursor [Swiss-Prot: Q62845]
    : FGFR binding motif
<400> 28
Val Ala Glu Asn Ser Arg Gly Lys Asn Ile Ala Lys Gly
         5
                     10
<210> 29
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Neuronal glycoprotein CNTN3 [Swiss-Prot: Q07409]: FGFR binding mo
<400> 29
Ile Ala Glu Asn Ser Arg Gly Lys Asn Val Ala Arg Gly
         5
<210> 30
<211> 12
```

```
<220>
```

<223> NB-2(HNB-2/NB-2), a neural cell recognition molecule of the conta ctin/F3 subgroup [Swiss-Prot: O94779/P97527]: FGFR binding motif

<400> 30

Ala Glu Asn Ser Arg Gly Lys Asn Ser Phe Arg Gly

<210> 31

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> HNB-3/NB-3 [Swiss-Prot: Q9UQ52/P97528/Q9JMB8]: FGFR binding motif

<400> 31

Ile Ala Ser Asn Leu Arg Gly Arg Asn Leu Ala Lys Gly
1 5 10

<210> 32

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Putative fat-like cadherin precursor (Drosiphila) [Swiss-Prot: Q9 VW71]: FGFR binding motif

<400> 32

Ile Pro Glu Asn Ser Leu Gly Lys Thr Tyr Ala Lys Gly

<210> 33

<211> 12

<212> PRT

<220>

<223> Neuronal nicotinic acetylcholine receptor alpha 3 subunit (CHRNA3) [Swiss-Prot: Q8VHH6/P04757/Q8R4G9/P32297]: FGFR binding motif

<400> 33

Ile Ala Glu Asn Met Lys Ala Gln Asn Glu Ala Lys

1 5 10

<210> 34

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Neuronal acetylcholine receptor protein, alpha-6 chain precursor (CHRNA6) [Swiss-prot:Q15825]: FGFR binding motif

<400> 34

Gln Phe Ile Ala Glu Asn Met Lys Ser His Asn Glu Thr Lys Glu Val

l 5 10 1:

<210> 35

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> ROBO-1 [O44924]: FGFR binding motif

<400> 35

Gly Glu Tyr Trp Cys Val Ala Lys Asn Arg Val Gly Gln 1 5 10

<210> 36

```
<211> 13
```

<212> PRT

<213> Artificial sequence

<220>

<223> ROBO-1[AF041082; Q9Y6N7]: FGFR binding motif

<400> 36

Gly Ser Tyr Thr Cys Val Ala Glu Asn Met Val Gly Lys 1 5 10

<210> 37

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> ROBO-1[AF041082; Q9Y6N7]: FGFR binding motif

<400> 37

Gly Lys Tyr Val Cys Val Gly Thr Asn Met Val Gly Glu Arg 1 5 10

<210> 38

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR2 [Q96KM2; P21802]: FGFR binding motif

<400> 38

Asn Tyr Thr Cys Val Val Glu Asn Glu Tyr Gly
1 5 10

```
<210> 39
```

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR2[Q63241]: FGFR binding site

<400> 39

Gly Glu Tyr Thr Cys Leu Ala Gly Asn Ser Ile Gly

<210> 40

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> Fc receptor-like protein 1[Q96KM2] / fragment of IFGP 1 [Q96PJ6]: FGFR binding motif

<400> 40

Gln Tyr Tyr Cys Val Ala Glu Asn Gly Tyr Gly
1 5 10

<210> 41

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Junctional adhesion molecule (JAM-1) [Q9JKD5/O88792]: FGFR bindin g motif

<400> 41

GFR binding motif

<400> 44

```
Gly Glu Tyr Tyr Gln Glu Ala Glu Gln Asn Gly Tyr Gly
                     10
<210> 42
<211> 12
<212> PRT
<213> Artificial sequence
<400> 42
Gly Asn Tyr Thr Cys Leu Val Glu Asn Glu Tyr Gly
         5
<210> 43
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Contactin precursor (Neural adhesion molecule F3)[Q63198;/P1260;
   Q12860]: FGFR binding motif
<400> 43
Gly Met Tyr Gln Cys Leu Ala Glu Asn Ala Tyr Gly
                    10
<210> 44
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Contactin precursor (Neural adhesion molecule F3/F11) [Q28106]: F
```

```
Gly Met Tyr Gln Cys Ala Glu Asn Thr His Gly
                    10
<210> 45
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Contactin precursor (Neural adhesion molecule F3/F11) [Q28106]: F
   GFR binding motif
<400> 45
Gly Ile Tyr Tyr Cys Leu Ala Ser Asn Asn Tyr Gly
<210> 46
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> IFGP2[Q96PJ5]: FGFR binding motif
<400> 46
Gly Gly Tyr Tyr Cys Thr Ala Asp Asn Ser Tyr Gly
        5 ,
                   10
<210> 47
<211> 12
<212> PRT
<213> Artificial sequence
<220>
```

<223> Neurofascin precursor [Q90924]: FGFR binding motif

```
<400> 47
```

Gly Glu Tyr Gln Cys Phe Ala Arg Asn Asp Tyr Gly
1 5 10

<210> 48

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Neurofascin [Q90924]: FGFR binding motif

<400> 48

Gly Glu Tyr Phe Cys Leu Ala Ser Asn Lys Met Gly

<210> 49

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Neurofascin 155 Da isoform [Q91Z60]: FGFR binding motif

<400> 49

Gly Glu Tyr Gln Cys Phe Ala Arg Asn Lys Phe Gly

<210> 50

<211> 12

<212> PRT

<213> Artificial sequence

```
<220>
```

<223> Neurofascin 155 Da isoform [Q91Z60]: FGFR binding motif

<400> 50

Gly Glu Tyr Phe Cys Leu Ala Ser Asn Lys Met Gly 1 5 10

<210> 51

<211> 12

<212> PRT

<213> Artificial sequence

# <220>

<223> Macrophage scavenger receptor 2 (MSR2) [Q91YK7]:FGFR binding moti f

<400> 51

Gly Gly Tyr Tyr Cys Thr Ala Asp Asn Asn Tyr Gly
1 5 10

<210> 52

<211> 14

<212> PRT

<213> Artificial sequence

### <220>

<223> Macrophage scavenger receptor 2 (MSR2) [Q91YK7]: FGFR binding mot if

<400> 52

Gly Asn Tyr Ser Cys Glu Ala Glu Asn Ala Trp Gly Thr Lys
1 10

<210> 53

<211> 12

<212> PRT

<220>

<223> Neural cell adhesion molecule L1[Q9QYQ7; Q9QY38; P11627; Q05695; P32004]: FGFR binding motif

<400> 53

Gly Glu Tyr Thr Cys Leu Ala Glu Asn Ser Leu Gly

<210> 54

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Neural-glial cell adhesion molecule Ng-CAM [Q03696]: FGFR binding motif

<400> 54

Gly Glu Tyr Glu Cys Val Ala Glu Asn Gly Arg Leu Gly
1 5 10

<210> 55

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR3 [Q95M13; AF487554; Q99052]: FGFR binding motif

<400> 55

Gly Asn Tyr Thr Cys Val Val Glu Asn Lys Phe Gly Arg
1 5 10

<210> 56

```
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> FGFR3 [Q95M13; Q99052]: FGFR binding motif
<400> 56
Gly Glu Tyr Thr Cys Leu Ala Gly Asn Ser Ile Gly
         5
<210> 57
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule 2 (NCAM2) [P36335]: FGFR binding mo
<400> 57
Gly Glu Tyr Phe Cys Val Ala Ser Asn Pro Ile Gly
<210> 58
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule 2 (NCAM2)[P36335]: FGFR binding mot
   if
<400> 58
```

Glu Tyr Thr Cys Ile Ala Asn Asn Gln Ala Gly Glu

10

5

```
<210> 59
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Axonin-1 (TAG-1) [Q02246;P22063; P28685]: FGFR binding motif
<400> 59
Gly Met Tyr Gln Cys Val Ala Glu Asn Lys His Leu Gly
         5
                    10
<210> 60
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule NCAM-140 AND ncam-140 [P13595]: FGF
   R binding motif
<400> 60
Gly Glu Tyr Met Cys Thr Ala Ser Asn Thr Ile Gly Gln
        5
                    10
<210> 61
<211> 13
<212> PRT
<213> Artificial sequence
<220>
```

<223> Neural cell adhesion molecule NCAM-140 AND ncam-140 [P13595]: FGF

R binding motif

```
<400> 61
```

Glu Tyr Val Cys Ile Ala Glu Asn Lys Ala Gly Glu Gln

1 5 10

<210> 62

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Neurotrophin receptor tyrosin kinase type 2 (NTRKT) [Q8WXJ5]:FGFR binding motif

<400> 62

Gly Asp Tyr Thr Leu Ile Ala Lys Asn Glu Tyr Gly Lys

1 5 10

<210> 63

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Colorectal cancer suppressor DCC [P43146]: FGFR binding motif

<400> 63

Gly Phe Tyr Gln Cys Val Ala Glu Asn Glu Ala Gly

10

1 5

<210> 64

<211> 14

<212> PRT

<213> Artificial sequence

<210> 67

<211> 13

```
<220>
<223> Tyrosine phosphatase LAR (ptprf) [Q9EQ17; Q64604; P23468]: FGFR b
   inding motif
<400> 64
Gly Lys Tyr Glu Cys Val Ala Thr Asn Ser Ala Gly Thr Arg
<210> 65
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Platelet-derived growth factor receptor beta (PDGFRB) [Q8R406; Q0
    5030]: FGFR binding motif
<400> 65
Gly Glu Tyr Phe Cys Val Tyr Asn Asn Ser Leu Gly
<210> 66
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Intercellular adhesion molecule-5 (ICAM-5, telencephalin) [Q8TAM9
   ; Q60625]: FGFR binding motif
<400> 66
Gly Glu Tyr Glu Cys Ala Ala Thr Asn Ala His Gly Arg
         5
                    10
```

```
<212> PRT
```

### <220>

<223> B-cell receptor CD22 precursor (Leu-14; B-lymphocyte cell adhesio n molecule) [P20273]: FGFR binding motif

<400> 67

Gly Ala Tyr Trp Cys Gln Gly Thr Asn Ser Val Gly Lys
1 5 10

<210> 68

<211> 12

<212> PRT

<213> Artificial sequence

### <220>

<223> B-cell receptor CD22 precursor (Leu-14; B-lymphocyte cell adhesio n molecule) [P20273]: FGFR binding motif

<400> 68

Gly Thr Tyr Ser Cys Val Ala Glu Asn Ile Leu Gly
1 5 10

<210> 69

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> NCAM-2 [Swiss-Prot: O15394; O35136]: FGFR binding motif

<400> 69

Arg Val Ala Ala Val Asn Gly Lys Gly Gln Gly Asp Tyr Ser 1 5 10

```
<210> 70
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> HCF-2 (Host cell factor 2) [Swiss-Prot: Q9Y5Z7]: FGFR binding mot
   if: FGFR binding motif
<400> 70
Arg Val Ala Ala Ile Asn Gly Cys Gly Ile Gly Pro Phe Ser
<210> 71
<211> 9
<212> PRT
<213> Artificial sequence
<220>
<223> ICLN (Chloride channel regulator, inducer) [Swiss-Prot: P97506; Q
    9NRD2; Q61189; P54105]: FGFR binding motif
<400> 71
Ala Val Leu Asn Gly Lys Gly Leu Gly
<210> 72
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Galectin-12 [Swiss-Prot: Q91VD1; Q9JKX2; Q9NZ03]: FGFR binding mo
<400> 72
```

Ala Leu Asn Gly Gln Gly Leu Gly Ala Thr Ser <210> 73 <211> 12 <212> PRT <213> Artificial sequence <220> <223> Human receptor-like protein tyrosine phosphatase leukocyte common antigen-related molecule (PTPRF) [Swiss-Prot: P10586]: FGFR bind ing motif <400> 73 Arg Leu Ala Ala Lys Asn Arg Ala Gly Leu Gly Glu 10 <210> 74 <211> 13 <212> PRT <213> Artificial sequence <220> <223> Natural resistance-associated macrophage protein 1(NRAMP-1, SLC11 A1) [Swiss-Prot: O77741]: FGFR binding motif <400> 74 Arg Leu Gly Val Val Thr Gly Lys Asp Leu Gly Glu Ile <210> 75 <211> 14 <212> PRT <213> Artificial sequence

```
<220>
```

<223> NCAM2 (180 kDa isoform precursor) [Swiss-Prot: P36335]: FGFR bin ding motif

<400> 75

Thr Val Thr Gly Leu Lys Pro Glu Thr Ser Tyr Met Val Lys
1 5 10

<210> 76

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Nephrin [Swiss-Prot: Q925S5; Q9JIX2; Q9ET59; Q9R044; Q9QZS7]: FGF R binding motif

<400> 76

Thr Leu Thr Gly Leu Lys Pro Ser Thr Arg Tyr Arg Ile 1 5 10

<210> 77

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Nephrin [Swiss-Prot: O60500]: FGFR binding motif

<400> 77

Thr Leu Thr Gly Leu Gln Pro Ser Thr Arg Tyr Arg Val 1 5 10

<210> 78

<211> 14

<212> PRT

<220>

<223> Tyrosine phosphatase LAR (PTPRF) [Swiss-Prot : Q9EQ17]: FGFR bind ing motif

<400> 78

Thr Leu Leu Gly Leu Lys Pro Asp Thr Thr Tyr Asp Ile Lys

<210> 79

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Leukocyte common antigen-related phosphatase ptp2 precursor (LAR-PTP2) [Swiss-Prot: Q64605]: FGFR binding motif

<400> 79

Thr Leu Gln Gly Leu Arg Pro Glu Thr Ala Tyr Glu Leu Arg
1 5 10

<210> 80

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Protein-tyrosine phosphatase, receptor-type, S precursor (EC 3.1. 3.48) (Protein-tyrosine phosphatase sigma) (RPTP-sigma) [Swiss-Pr ot: Q64699]: FGFR binding motif

<400> 80

Thr Leu Arg Gly Leu Arg Pro Glu Thr Ala Tyr Glu Leu Arg
1 5 10

```
<210> 81
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Tyrosine-protein kinase receptor Tie-1 precursor (TIE1.) (EC 2.7.
    1.112) [Swiss-Prot: Q06805; P35590]: FGFR binding motif
<400> 81
Thr Leu Met Asn Leu Arg Pro Lys Thr Gly Tyr Ser Val Arg
<210> 82
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Ephrin type-A receptor 8 precursor to (EPHA8..) (EC 2.7.1.112)(Ty
   rosine-protein kinase receptor EEK) (EPH-and ELK-related kinase)
    ]: [Swiss-Prot: O09127; O09127; P29322];FGFR binding motif
<400> 82
Thr Val Ser Gly Leu Lys Pro Gly Thr Arg Tyr
         5
                    10
<210> 83
<211> 11
<212> PRT
<213> Artificial sequence
```

<220>

<223> Ephrin type-A receptor 3 precursor (EC 2.7.1.112) (Tyrosine-prote in kinase receptor ETK1) (CEK4) (EPHA3..) [tn: P29318]: FGFR bind ing motif

```
<400> 83
```

Thr Ile Ser Gly Leu Lys Pro Asp Thr Thr Tyr

1 5 10

<210> 84

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> Protein-tyrosine phosphatase receptor-type S precursor (EC 3.1.3.

48) (Protein-tyrosine phosphatase sigma, PTPRS) [Swiss-Prot: Q133

32]: FGFR binding motif

<400> 84

Thr Leu Gln Gly Leu Lys Pro Asp Thr Ala Tyr

1 5 10

<210> 85

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Insulin receptor [Swiss-Prot: Q9PWN6]: FGFR binding motif

<400> 85

Leu Arg Gly Leu Lys Pro Trp Thr Gln Tyr Ala Val

5 10

<210> 86

<211> 13

<212> PRT

<213> Artificial sequence

```
<220>
<223> Type VII collagen [Swiss-Prot: Q63870]: FGFR binding motif
<400> 86
Ile Asp Gly Leu Glu Pro Asp Thr Glu Tyr Ile Val Arg
                    10
<210> 87
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Insulin-like growth factor-1 receptor precursor [Swiss-Prot: O737
   98]: FGFR binding motif
<400> 87
Leu Gln Gly Leu Lys Pro Trp Thr Gln Tyr Ala Ile
<210> 88
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Fibronectin [Swiss-Prot: Q95KV4; Q95KV5; P07589; Q28377; U42594;
   O95609]: FGFR binding motif
<400> 88
Thr Ile Thr Gly Leu Glu Pro Gly Thr Glu Tyr Thr Ile Gln
                     10
<210> 89
<211> 10
```

```
<212> PRT
<213> Artificial sequence
<220>
<223> Insulin-like growth factor I receptor (IGF I receptor beta-subun
    it, IGF I receptor alpha-subunit) [Swiss-Prot: Q9QVW4; P08069; P2
    4062; Q60751; P15127; P15208]: FGFR binding motif
<400> 89
Gly Leu Lys Pro Trp Thr Gln Tyr Ala Val
         5
<210> 90
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Insulin receptor-related protein precursor (EC 2.7.1.112) (IRR) (
    IR-related receptor) [Swiss-Prot: P14616]: FGFR binding motif
<400> 90
Thr Leu Ala Ser Leu Lys Pro Trp Thr Gln Tyr Ala Val
                     10
<210> 91
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Tenascin-R (restrictin) [Swiss-Prot: Q15568; O00531]: FGFR bindin
    g motif
<400> 91
Leu Met Gly Leu Gln Pro Ala Thr Glu Tyr Ile Val
         5
                     10
```

```
<210> 92
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Neogenin precursor (NEO1..) [Swiss-Prot: Q92859; P97603; Q90610;
   P97798]: FGFR binding motif
<400> 92
Lys Gly Met Gly Pro Met Ser Glu Ala Val Gln Phe Arg Thr
<210> 93
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Protein tyrosine phosphatase receptor type D (PTPRD, BA175E13.1)
    [Swiss-Prot: Q8WX65; Q9IAJ1; P23468; Q64487]: FGFR binding motif
<400> 93
Thr Leu Thr Gly Leu Lys Pro Asp Thr Thr Tyr Asp Val Lys
             . 10
       5
<210> 94
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Protein tyrosine phosphatase receptor type D (PTPRD, BA175E13.1)
```

[Swiss-Prot: Q8WX65; Q9IAJ1; P23468; Q64487]: FGFR binding motif

<400> 94

Ile Ser Gly Leu Gln Pro Glu Thr Ser Tyr Ser Leu

1 5 10

<210> 95

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Protein-tyrosine phosphatase receptor-type F precursor (EC 3.1.3 .48) (LAR protein) (Leukocyte antigen related) [Swiss-Prot: Q6460 4; Q9QW67; P10586]: FGFR binding motif

<400> 95

Thr Leu Leu Gly Leu Lys Pro Asp Thr Thr Tyr Asp Ile Lys

<210> 96

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Protein-tyrosine phosphatase receptor-type F precursor (EC 3.1.3.

48) (Leukocyte antigen related) [Swiss-Prot: Q64604; Q9QW67; P105

86]: FGFR binding motif

<400> 96

Thr Ile Ser Gly Leu Thr Pro Glu Thr Thr Tyr Ser Ile

1 5 10

<210> 97

<211> 13

<212> PRT

<220>

<223> CD22 [Q9R094]: FGFR binding motif

<400> 97

Gly Asn Tyr Ser Cys Leu Ala Glu Asn Arg Leu Gly Arg

<210> 98

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR-4 [Q91742]: FGFR binding motif

<400> 98

Gly Asn Tyr Thr Cys Val Val Glu Asn Arg Val Gly 1 5 10

<210> 99

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> ICAM-5 [Q8TAM9]: FGFR binding motif

<400> 99

Gly Thr Tyr His Cys Val Ala Thr Asn Ala His Gly
1 5 10

<210> 100


<211> 14

```
<212> PRT
<213> Artificial sequence
<220>
<223> FIII,4 domain of L1: FGFR binding motif [Swiss-Prot: Q9QY38]
<400> 100
Leu Ser His Asn Gly Val Leu Thr Gly Tyr Leu Leu Ser Tyr
         5
<210> 101
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Neuron-glia cell adhesion molecule (Ng-CaM) precursor .[Gallus ga
   llus]; [Swiss-Prot: Q90933]: FGFR binding motif
<400> 101
Asn Gly Val Leu Thr Gly Tyr Val Leu Arg Tyr
                     10
<210> 102
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Neurofascin precursor .[Gallus gallus]; [Swiss-Prot: O42414]: FGF
    R binding motif
<400> 102
Asn Gly Val Leu Thr Gly Tyr Asn Leu Arg Tyr
         5
                     10
```

```
<210> 103
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> (CALL) Neural cell adhesion molecule. [Homo sapiens]. [Swiss-Pro
   t: O00533]: FGFR binding motif
<400> 103
Asn Gly Asn Leu Thr Gly Tyr Leu Leu Gln Tyr
                     10
<210> 104
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> f Neuroglian.[Manduca sexta] .[ Swiss-Prot: P91767]: FGFR bindin
   g motif
<400> 104
Val Asp Glu Asn Gly Val Leu Thr Gly Tyr Lys Ile Tyr Tyr
                     10
<210> 105
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Protein-tyrosine phosphotase sigma [Swiss-Prot: O75870]; and [Sw
   iss-Prot: Q13332] [Homo sapiens] :FGFR binding motif
<400> 105
```

<220>

```
Thr His Asn Gly Ala Leu Val Gly Tyr Ser Val Arg Tyr
         5
<210> 106
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> NR-CaM 12 [Rattus sp], [Swiss-Prot: Q9QVN3]: FGFR binding motif
<400> 106
Asn Gly Ile Leu Thr Glu Tyr Ile Leu Lys Tyr
        5
                     10
<210> 107
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Neurofascin 155 kDa isoform.[Rattus norvegicus],[ Swiss-Prot: Q91
    Z60]: FGFR binding motif
<400> 107
Asn Gly Ile Leu Ile Gly Tyr Thr Leu Arg Tyr
         5
                    10
<210> 108
<211> 13
<212> PRT
<213> Artificial sequence
```



<223> Neogenin (Fragment).[Gallus gallus], [Swiss-Prot: Q90610]: FGFR b inding motif

<400> 108

Thr His Ser Gly Gln Ile Thr Gly Tyr Lys Ile Arg Tyr

<210> 109

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> Neogenin (Fragment).[Gallus gallus], [Swiss-Prot: Q90610]:FGFR bi nding motif

<400> 109

Asn Gly Lys Ile Thr Gly Tyr Ile Ile Tyr Tyr 1 5 10

<210> 110

<211> 10

<212> PRT

<213> Artificial sequence

<220>

<223> Metalloprotease 1 (pitrilysin family).[Homo sapiens] [ Swiss-Pro t: Q9BSI6]:FGFR binding motif

<400> 110

Leu Ser His Asn Gly Ile Phe Thr Leu Tyr 1 5 10

<210> 111

<211> 11

<212> PRT

```
<213> Artificial sequence
```

<220>

<223> HBRAVO/Nr-CaM.[Homo sapiens].[Swiss-Prot: Q92823; O15179]: FGFR b inding motif

<400> 111

Asn Gly Ile Leu Thr Glu Tyr Thr Leu Lys Tyr

<210> 112

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Protein-tyrosine phosphatase kappa precursor (EC 3.1.3.48) (R-PTP -kappa).[Homo sapiens].[Swiss-Prot: Q15262]: FGFR binding motif

<400> 112

Leu Asp Pro Asn Gly Ile Ile Thr Gln Tyr Glu Ile Ser Tyr

<210> 113

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> Neogenin precursor (NEO1..).[Homo sapiens and Mus musculus][Swiss -Prot: Q92859; P97798]: FGFR binding motif

<400> 113

Asn Gly Lys Ile Thr Gly Tyr Ile Ile Tyr Tyr 10

5

<400> 116

```
<210> 114
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion L1(SPLICE ISOFORM 2)[Homo sapiens [Swiss-P
   rot: P32004]; [Mus musculus Swiss-Prot: Q9QY38]: FGFR binding
   motif
<400> 114
His Leu Glu Val Gln Ala Phe Asn Gly Arg Gly Ser Gly Pro Ala
                                 15
<210> 115
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> NB-2.[Rattus norvegicus] [Swiss-Prot: P97527]:FGFR binding motif
<400> 115
His Leu Thr Val Arg Ala Tyr Asn Gly Ala Gly Tyr Gly Pro
<210> 116
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion protein BIG-2 precursor.[Rattus norvegicus][
   Swiss-Prot: Q62845]: FGFR binding motif
```

```
His Leu Ser Val Lys Ala Tyr Asn Ser Ala Gly Thr Gly Pro Ser
              10
<210> 117
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Axonal-associated cell adhesion molecule.[Homo sapiens]. [Swiss-P
   rot: Q8TC35]:FGFR binding motif
<400> 117
His Leu Ala Val Lys Ala Tyr Asn Ser Ala Gly Thr Gly Pro Ser
             10
1 5
<210> 118
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Contactin A/F3/F11.[Xenopus laevis] [Swiss-Prot: O93250]: FGFR bi
   nding motif
<400> 118
Asn Leu Glu Val Arg Ala Phe Asn Ser Ala Gly Asp Gly Pro
   5
                    10
<210> 119
<211> 14
<212> PRT
<213> Artificial sequence
```

```
<220>
```

<223> Neural cell adhesion molecule CALL.[Homo sapiens][Swiss-Prot: O0 0533]:FGFR binding motif

<400> 119

His Leu Thr Val Leu Ala Tyr Asn Ser Lys Gly Ala Gly Pro
1 5 10

<210> 120

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Neuron-glia cell adhesion molecule (Ng-CaM) precursor.[Gallus gal lus][Swiss-Prot: Q909339]: FGFR binding motif

<400> 120

Leu Arg Val Leu Val Phe Asn Gly Arg Gly Asp Gly Pro

<210> 121

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Contactin precursor (Neural cell recognition molecule F11).[Gallu s gallus][Swiss-Prot: P14781]: FGFR binding motif

<400> 121

His Ile Asp Val Ser Ala Phe Asn Ser Ala Gly Tyr Gly Pro 1 5 10

<210> 122

<211> 10

```
<212> PRT
<213> Artificial sequence
<220>
<223> SLIT [Drosophila melanogaster][Swiss-Prot: Q9XYV4]: FGFR binding
    motif
<400> 122
His Leu Ala Val Glu Leu Phe Asn Gly Arg
                    10
<210> 123
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Galectin-4.[Mus musculus][Swiss-Prot: Q8K419, P38552]: FGFR bin
    ding motif
<400> 123
Leu Glu Leu Gln Ser Ile Asn Phe Leu Gly Gly Gln Pro Ala
<210> 124
<211> 14
<212> PRT
<213> Artificial sequence
<220>
```

<223> HNB-2.[Homo sapiens]Swiss-Prot: O94779: FGFR binding motif

His Phe Thr Val Arg Ala Tyr Asn Gly Ala Gly Tyr Gly Pro

<400> 124

5

<400> 127

```
<210> 125
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> The EFL peptide (from the FIII,3 domain of L1) [Swiss-Prot: P3200
   4]: FGFR binding motif
<400> 125
His Leu Glu Val Gln Ala Phe Asn Gly Arg Gly Ser Gln Pro Ala
                   10
                                 15
<210> 126
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Fragment of Neuroglian (Drosophila)[ Swiss-prot: P202419]: FGFR b
   inding motif
<400> 126
Val Ile Ala Asp Gln Pro Thr Phe Val Lys Tyr Leu Ile Lys
                   10
<210> 127
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Fragment of Fibronectin (bovine) [Swiss-prot: P07589]: FGFR bindi
   ng motif
```

```
Thr Ile Lys Gly Leu Arg Pro Gly Val Val Tyr Glu Gly Gln 1 5 10
```

<210> 128

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Tenascin (chick) [Swiss-prot: P10039]: FGFR binding motif

<400> 128

Thr Leu Thr Glu Leu Ser Pro Ser Thr Gln Tyr Thr Val Lys 1 5 10

<210> 129

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Ephrin type A receptor2 [Swiss-prot: Q8N3Z2]: FGFR binding motif

<400> 129

Thr Leu Asp Asp Leu Ala Pro Asp Thr Thr Tyr Leu Val Gln 1 5 10

<210> 130

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> LAR [Swiss-prot Q9VIS8]: FGFR binding motif



```
<400> 130
```

Thr Val Ser Asp Val Thr Pro His Ala Ile Tyr Thr Val Arg

<210> 131

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> RTK (Tie-1,hu) [Swiss-prot P35590]: FGFR binding motif

<400> 131

Ile Ile Arg Gly Leu Asn Ala Ser Thr Arg Tyr Leu Phe Arg

1 5 10

<210> 132

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> RTK (Tie-1,hu) [Swiss-prot P35590]: FGFR binding motif

<400> 132

Thr Leu Met Asn Leu Arg Pro Lys Thr Gly Tyr Ser Val Arg 1 5 10

<210> 133

<211> 14

<212> PRT

<213> Artificial sequence

```
<220>
```

<223> Consensus sequence (conserved domain database) : FGFR binding mot

<400> 133

Thr Leu Thr Gly Leu Lys Pro Gly Thr Glu Tyr Glu Val Arg

<210> 134

<211> 14

<212> PRT

<213> Artificial sequence

## <220>

<223> The beta-common cytokine receptor of IL-3. Il-5 and GmCsf [Swissprot P32927]: FGFR binding motif

<400> 134

Gly Pro Glu His Leu Met Pro Ser Ser Thr Tyr Val Ala Arg

<210> 135

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Unc-22 (C. Elegance) [Swiss-prot: Q23550]: FGFR binding motif

<400> 135

Arg Val Thr Gly Leu Thr Pro Lys Lys Thr Tyr Glu Phe Arg

<210> 136

<211> 14

<212> PRT

## <213> Artificial sequence

<220>

<223> Consensus sequence (conserved domain database): FGFR binding moti

<400> 136

Thr Leu Thr Gly Leu Lys Pro Gly Thr Glu Tyr Glu Phe Arg

<210> 137

<211> 15

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus sequence (conserved domain database):FGFR binding motif

<400> 137

Glu Val Arg Val Gln Ala Val Asn Gly Gly Gly Asn Gly Pro Pro
1 5 10 15

<210> 138

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Drosophila Neuroglian [Swiss-prot: P20241]: FGFR binding motif

<400> 138

Leu Ile Lys Val Val Ala Ile Asn Asp Arg Gly Glu

<210> 139

```
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Fibronectin (mouse) [Swiss-prot: P11276]: FGFR binding motif
<400> 139
Val Val Ser Ile Ile Ala Val Asn Gly Arg Glu Glu
<210> 140
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Fibronectin (bovine) [Swiss-prot: P07589]:FGFR binding motif
<400> 140
Val Val Ser Val Tyr Ala Gln Asn Gln Asn Gly Glu
<210> 141
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Tenascine (chick) [Swiss-prot: Q90995]: FGFR binding motif
<400> 141
Thr Ile Ser Leu Val Ala Glu Lys Gly Arg His Lys
```

```
<210> 142<211> 15<212> PRT
```

<213> Artificial sequence

<220>

<223> L1 (human, F3,EFL) [Swiss-prot: P32004]: FGFR binding motif

<400> 142

His Leu Glu Val Gln Ala Phe Asn Gly Arg Gly Ser Gly Pro Ala 1 5 10 15

<210> 143

<211> 15

<212> PRT

<213> Artificial sequence

<220>

<223> L1 (mouse, F3,EFL) [Swiss-prot: P11627]: FGFR binding motif

<400> 143

His Val Glu Val Gln Ala Phe Asn Gly Arg Gly Leu Gly Pro Ala 1 5 10 15

<210> 144

<211> 15

<212> PRT

<213> Artificial sequence

<220>

<223> L1 (rat, F3,EFL) [Swiss-prot: Q05695]: FGFR binding motif

<400> 144

His Val Glu Val Gln Ala Phe Asn Gly Arg Gly Leu Gly Pro Ala 1 5 10 15 <210> 145 <211> 13 <212> PRT <213> Artificial sequence <220> <223> Consensus sequence (conserved domain database): FGFR binding moti f <400> 145 Glu Phe Arg Val Arg Ala Val Asn Gly Ala Gly Glu Gly <210> 146 <211> 15 <212> PRT <213> Artificial sequence <220> <223> The beta-common cytokine receptor of IL-3. Il-5 and GmCsf [Swissprot: P32927]: FGFR binding motif <400> 146

Val Ala Arg Val Arg Thr Arg Leu Ala Pro Gly Ser Arg Leu Ser